



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/564,616

07/26/2006

Mihara Kiyoo

(05:153)

9854

2119

7590

10/30/2009

RONALD E. GREIGG

GREIGG & GREIGG P.L.L.C.

1423 POWHATAN STREET, UNIT ONE

ALEXANDRIA, VA 22314

EXAMINER

PASCUA, JES F

ART UNIT

PAPER NUMBER

3782

MAIL DATE

DELIVERY MODE

10/30/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/564,616	<b>Applicant(s)</b> KIYOO, MIHARA	
	<b>Examiner</b> Jes F. Pascua	<b>Art Unit</b> 3782	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 17 June 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 5-15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 5-15 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 January 2006 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>6/17/09</u> .   | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Drawings***

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the edge portion joined to the suction connector with the tightly closed bag held therebetween (claim 5) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 15 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 15, "the ring member" lacks antecedence in the claim from which it depends.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 5, 7, 9 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,332,095 to Wu and U.S. Patent No. 6,712,334 to Motonaka et al.

Wu discloses the claimed invention, especially the edge portion of the valve base joined to the suction connector with the tightly closed bag held therebetween. However, Wu shows the suction connector with a shape that projects relative to its peripheral edge on a side of the suction connector facing outside the tightly closed bag instead of the suction connector with a shape that does not substantially project relative to its peripheral edge on a side of the suction connector facing outside the tightly closed bag.

Art Unit: 3782

Motonaka et al. shows that a suction connector with a shape that does not substantially project relative to its peripheral edge on a side of the suction connector facing outside the tightly closed bag is an equivalent structure known in the art. See Figs. 8-10.

Therefore, because these two suction connector shapes were art-recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute the projecting shape of the Wu suction connector for a suction connector shape that does not substantially project relative to its peripheral edge on a side of the suction connector.

Regarding claims 9 and 11, Wu and Motonaka et al. discloses the claimed invention, as discussed above, except for the suction connector having load restraining means. Motonaka et al. teaches that it is known in the art provide an analogous suction connector with load restraining means (31). It would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide the suction connector of Wu with restraining means of Motonaka et al., in order to restrain the load of a suction device used for discharging air from the tightly closed bag.

6. Claims 6, 8, 10 and 12-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu and Motonaka et al. as applied to claims 5, 7 and 9 above, and further in view of U.S. Patent No. 5,450,963 to Carson.

Wu and Motonaka et al. disclose the claimed device, as discussed above, except for the valve base having an integrally attached ring member and the suction connector having an annular cavity that is correspondingly positioned and dimensioned to fit the

Art Unit: 3782

ring member. Carson discloses that it is known in the art to provide an analogous valve base with an integrally attached ring member (26) and an analogous suction connector with a corresponding annular cavity (48). It would have been obvious to one having ordinary skill in the art at the time the invention was made to respectively provide the valve base and suction connector of the modified valve mechanism of Wu with the integrally attached ring member and correspondingly positioned and dimensioned annular cavity of Carson, in order to form a secure attachment of the valve mechanism to the bag.

Regarding claim 6, providing the valve base of the modified Wu valve mechanism with an integrally attached ring member, as discussed above, meets the recitation "a ring member of an elastic material", since whatever material the valve base of Wu is made from, inherently has a modulus of elasticity.

### ***Response to Arguments***

7. Applicant's arguments with respect to claims 5-15 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 3782

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Applicant is duly reminded that a complete response must satisfy the requirements of 37 C.F. R. 1.111, including: "The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. A general allegation that the claims "define a patentable invention" without specifically pointing out how the language of the claims patentably distinguishes them from the references does not comply with the requirements of this section. Moreover, "The prompt development of a clear Issue requires that the replies of the applicant meet the objections to and rejections of the claims." Applicant should also specifically point out the support for any amendments

Art Unit: 3782

made to the disclosure. See MPEP 714.02 and MPEP 2163.06. The "disclosure" includes the claims, the specification and the drawings.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jes F. Pascua whose telephone number is 571-272-4546. The examiner can normally be reached on Mon.-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Newhouse can be reached on 571-272-4544. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jes F. Pascua/  
Primary Examiner, Art Unit 3782